

# **SAFETY DATA SHEET**

#### 1. Identification

**Product identifier FRIGOMET HM 442** 

Other means of identification

Article-No. 40441020

Water-miscible metal working fluid. Industrial use. Recommended use

Recommended restrictions

None known.

Manufacturer/Supplier

Oemeta, Inc.

5655 West 610 South Salt Lake City, UT 84104 Phone: (+1) 801 953-0134 Fax: (+1) 801 953-0446

**Further information** obtainable from

Oemeta Service

Phone: (+49) 4122-924-132 Fax: (+49) 4122-924-157

**Emergency Telephone** 

Number

Toll Free Access within USA, Canada, Mexico: 1.866.519.4752 (24h)

Outside of the US please call: (+1) 760 476 3962 (24h)

Please provide the following code: 333910

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 1

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes skin irritation. Causes serious eye damage.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison

center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated

clothing and wash before reuse.

Store away from incompatible materials. Storage

**Disposal** Dispose of waste and residues in accordance with local authority requirements.



Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

1.45% of the mixture consists of component(s) of unknown acute inhalation toxicity. Not classified as hazardous according to GHS when diluted to 20% or less.

# 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name  | Common name and synonyms | CAS number   | %         |
|--|--------------------------|--------------|-----------|
| Benzotriazole  |                          | 95-14-7      | 5 - < 10  |
| Ethanol, 2-(2-butoxyethoxy)-                         |                          | 112-34-5     | 5 - < 10  |
| Ethanol, 2-(2-aminoethoxy)-                          |                          | 929-06-6     | 1 - < 5   |
| Formaldehyde, reaction products with ethylene glycol |                          | 1609949-54-3 | 1 - < 5   |
| Other components below reportable le                 | evels                    |              | 80 - < 90 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delaved

Indication of immediate medical attention and special treatment needed

**General information** 

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Fire-fighting

During fire, gases hazardous to health may be formed.

**Hazardous combustion** products

NO2).

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Combustion products may include the following: Carbon oxides (CO, CO2); nitrogen oxides (NO,

and precautions for firefighters

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: FRIGOMET HM 442



Methods and materials for containment and cleaning up

This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

**Precautions for safe handling** Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid

prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

ng any incompatibilities of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### **US. ACGIH Threshold Limit Values**

| Components  | Туре | Value  | Form                          |
|---|------|--------|-------------------------------|
| Ethanol,<br>2-(2-butoxyethoxy)- (CAS<br>112-34-5) | TWA  | 10 ppm | Inhalable fraction and vapor. |

Biological limit values

Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Recommendation: 706 Lapren (KCL, Germany) with a

layer thickness of at least 0.6 mm. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be

calculated in advance and has therefore to be checked prior to the application.

Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Where breathable

aerosols/dust are formed, use suitable combination filter for gases/vapours of organic, inorganic,

acid inorganic, alkaline compounds and toxic particles (e.g. type A/P2; EN 14387).

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

Physical state Liquid.
Color Light yellow.
Odor Mild.

Material name: FRIGOMET HM 442 40441020 Version #: 3.4 Revision date: 09-25-2019 Issue date: 04-12-2015



Odor threshold Not available.

pH 9.7 ASTM D 1287

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility (water) Soluble.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Density** 1116.00 kg/m³ ASTM D 1298

**Explosive properties** Not explosive.

Kinematic viscosity 14 mm<sup>2</sup>/s ASTM D 445 (104 °F (40 °C))

Oxidizing properties Not oxidizing.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Conditions to avoid Avoid high temperatures. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents. Peroxides. Isocyanates. Amides. Phenols.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye damage.

**Ingestion** Based on available data, the classification criteria are not met.

Material name: FRIGOMET HM 442

SDS US

40441020 Version #: 3.4 Revision date: 09-25-2019 Issue date: 04-12-2015



Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

# Information on toxicological effects

| Acute toxicity | Not known. |
|----------------|------------|
|----------------|------------|

| Components                     | Species                                     | Test Results      |
|--------------------------------|---|-------------------|
| Benzotriazole (CAS 95          | 5-14-7)                                     |                   |
| <u>Acute</u>                   |   |                   |
| Dermal                         |   |                   |
| Solid                          |   |                   |
| LD50                           | Rabbit                                      | 2000 mg/kg        |
| Oral                           |   |                   |
| Solid                          |   |                   |
| LD50                           | Rat   | 500 mg/kg         |
| Ethanol, 2-(2-aminoeth         | noxy)- (CAS 929-06-6)                       |                   |
| <u>Acute</u>                   |   |                   |
| Dermal                         |   |                   |
| Liquid                         | D-LL:                                       | 0000 #            |
| LD50                           | Rabbit                                      | > 3000 mg/kg      |
| Oral                           |   |                   |
| <i>Liquid</i><br>LD50          | Rat   | 0.400             |
|                                |   | 3400 mg/kg        |
| , .                            | hoxy)- (CAS 112-34-5)                       |                   |
| <u>Acute</u>                   |   |                   |
| <b>Dermal</b><br><i>Liquid</i> |   |                   |
| LD50                           | Rabbit                                      | 2764 mg/kg        |
| Oral                           | . abbit                                     | 2704 mg/kg        |
| Liquid                         |   |                   |
| LD50                           | Mouse                                       | 2410 mg/kg        |
|                                | Rat   | 3305 - 3384 mg/kg |
| Formaldehyde reaction          | n products with ethylene glycol (CAS 16     |                   |
| Acute                          | in products with earlyience grycon (C/10-10 | 00040 04 0)       |
| <u>Acute</u><br>Dermal         |   |                   |
| Liquid                         |   |                   |
| LD50                           | Rat   | > 2000 mg/kg      |
| Oral                           |   |                   |
| Liquid                         |   |                   |
| LD50                           | Rat   | 760 mg/kg         |
|                                |   |                   |

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye Causes serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

Material name: FRIGOMET HM 442

SDS US

40441020 Version #: 3.4 Revision date: 09-25-2019 Issue date: 04-12-2015



**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Not available.

12. Ecological information

**Ecotoxicity** Not available.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200. This product is not known to be a "Hazardous Chemical" as defined

by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are identified as active on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

Material name: FRIGOMET HM 442 40441020 Version #: 3.4 Revision date: 09-25-2019 Issue date: 04-12-2015



#### SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Yes

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug

Administration (FDA)

Not regulated.

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US. California Proposition 65** 

Not Listed.

### 16. Other information, including date of preparation or last revision

 Issue date
 04-12-2015

 Revision date
 09-25-2019

Version # 3.4

HMIS® ratings Health: 2

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 2

Flammability: 1 Instability: 0

NFPA ratings



Ratings of aqueous dilution HMIS® ratings when diluted to 20% or less: Health: 0, Flammability: 0, Physical Hazard: 0.

NFPA ratings when diluted to 20% or less: Health: 0, Flammability: 0, Instability: 0.

**Disclaimer**The information in the sheet was written based on the best knowledge and experience currently

available. The editor cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product,

and to assume liability for loss, injury, damage or expense due to improper use.

Material name: FRIGOMET HM 442

SDS US



**Revision information** 

Regulatory information: US federal regulations Other information, including date of preparation or last revision: Surplus

TR26112019 Approved.

Material name: FRIGOMET HM 442 SDS US