



METALWORKING FLUIDS ADDITIVES DIVISION

GROTAN®

Broad spectrum biocide for Metalworking Fluid Applications

EPA Registration No. 365-76

Description	Water dilutable soluble oil, semi-synthetic and synthetic metalworking fluid systems are highly susceptible to the growth of microorganisms. Microbial contamination can result in slime generation, gas formation, malodors and the reduction or drift of pH in the fluid concentrate and the working dilution. This contamination can diminish fluid performance and system efficiency, which can increase costs, decrease tool life, reduce productivity and cause machine shut-down. The use of Grotan® , a proven high quality preservative to control biodeterioration, will help maintain product functionality and increase the life of the metalworking fluid.
Application/ Use	For use in concentrates during manufacturing and for use in post addition applications.
Highlights	<ul style="list-style-type: none"> • Cost effective • Proven efficacy against a broad range of bacteria and fungi at recommended use levels • More than 40 years history of use • Extends life of metalworking fluids • Easy to use liquid, at 0.15% (1500 ppm) concentration in end use dilution • For use in individual sumps as well as large central systems
Physical Properties	<p>The following are typical properties of Grotan; they are not to be considered product specifications.</p> <p>Active Ingredient: Hexahydro-1,3,5-tris(2-hydroxyethyl)-s-triazine..... 78.5%</p> <p>Appearance: Water white to pale yellow liquid, clear to slight haze</p> <p>Color, Gardner:..... 2</p> <p>Odor: Light amine; odorless in end-use dilution</p> <p>Refractive Index, 25°C:.....1.483</p> <p>Specific Gravity, 25°C: 1.152 g/cc</p> <p>Lbs/Gal: 9.62</p> <p>Viscosity, 25°C:275 cps</p> <p>Flow Point: -28°C (-18°F)</p> <p>Freezing Point: -28°C (-18°F)</p> <p>pH of Concentrate, 25°C: 10.8</p> <p>Solubility: Miscible with water in all proportions</p> <p>..... Miscible with alcohol and acetone in all proportions</p> <p>..... Insoluble in ether, benzene, petroleum and chloroform</p>

Antimicrobial Activity

The following are examples of the broad range of organisms against which **Grotan®** has demonstrated efficacy:

Bacteria	Bacteria
<i>Bacillus subtilis</i>	<i>Proteus vulgaris</i>
<i>Desulfovibrio desulfuricans</i>	<i>Klebsiella pneumoniae</i>
<i>Enterobacter aerogenes</i>	<i>Staphylococcus aureus</i>
<i>Escherichia coli</i>	<i>Streptococcus faecalis</i>
<i>Pseudomonas aeruginosa</i>	

Function/ Activity

Grotan is a liquid, organic broad spectrum preservative designed for use in both the concentrate and working dilutions of soluble oil, semi-synthetic and synthetic metalworking fluid systems which may be subject to microbial degradation.

Formulating Considerations

Grotan at appropriate use levels in both laboratory and field evaluations, inhibits the growth of microorganisms. Products protected with Grotan can generally resist the long-term, repeated challenge of microorganisms.

Compounders: Add Grotan to the concentrate, in order to obtain 1500 ppm in the final dilution. Our Technical Service Laboratory will be pleased to assist formulators in the formulation and/or evaluation of preserved concentrates based on Grotan.

Metalworking Fluid Users: Grotan should be used to maintain a concentration of 0.15% (1500 ppm) in the fluid. For best results, before adding fresh fluid, drain and clean the system.

Regulatory Considerations

Toxicity

Acute Oral Effects

LD50 (oral, rat) - 535-580 mg/kg.

Acute Skin Effects

LD50 (dermal, rabbit) >2000 mg/kg. Mild skin irritation.

Acute Eye Effects

Moderate to severe irritation (rabbit). Corneal damage may be irreversible if not washed from eyes promptly.

Acute Inhalation Effects

Not determined.

Subchronic Effects and Other Studies

Skin sensitization reactions associated with this product have been reported. However, the number of sensitization responses is very low. There is also information that allergic sensitivity, if it occurs, is lost at a fairly rapid rate.

In animal inhalation studies, exposure to aerosol mists from cutting fluid solutions containing 0.15% Grotan (plus 3% cutting oil and water) resulted in eye irritation and lung damage. It was not established if the lung damage was related to the exposure to Grotan.

Mutagenicity testing – Not mutagenic.

For additional information on active ingredients, contact Troy Chemical Corporation.

Environmental Effects

Ecotoxicity

This product is harmful to aquatic organisms. Do not apply directly to water or wetlands. Do not contaminate water when disposing of equipment washwaters.

LC50 (bluegill sunfish, adult) - 44.8 mg/L
LC50 (bluegill sunfish, fingerlings) - 27 mg/L
LC50 (rainbow trout) - 67.3 mg/L

Environmental Fate

This product may cause adverse environmental impact. Avoid contamination of streams and sewers.

Chemical Inventories

This product, or its components, are listed on, or are exempt from:

Country	Regulation	CAS or Other Identification Number
United States	TSCA	4719-04-4
United States	EPA	365-76
Europe	EINECS	225-208-0
Canada	DSL	4719-04-4
Switzerland	SWISS	G-43057
Australia	AICS	4719-04-4
Korea	ECL	4719-04-4
Korea	ECL Serial No.	KE-33998
Japan	ENCS	4719-04-4
Japan	MITI No.	5-998
Philippines	PICCS	4719-04-4
China	IECSC	4719-04-4

Labeling

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. **DANGER** Corrosive. Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Handling, Storage, Health And Safety

Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or mist. Wash thoroughly after handling. Keep container tightly closed. Use only with adequate ventilation. Store away from incompatible substances in a cool, dry, ventilated area. Prolonged contact with brass, copper, or aluminum piping, containers or equipment should be avoided to prevent possible corrosive effects to these metals. Do not contaminate water, food, or feed by storage or disposal.

Observe all Federal, State, and Local Regulations when storing or disposing of this substance.

Shelf Life: Two years from date of manufacture

Emergency Overview: **Grotan**® is a water white to pale yellow viscous liquid with a mild characteristic odor. Highly alkaline, pH = 10.8. May be harmful if swallowed. May cause severe eye irritation and irreversible corneal damage. Excessive heat greater than 147°C (297°F), will result in decomposition to formaldehyde. Avoid contamination of streams and sewers.

Shipping And Packaging

Grotan® is packaged in:

Shipping Container	Net Weight
55 Gallon Drum	500 lbs/227 kg
Case (4 Plastic Jugs)	4 X 10 lbs.
Plastic Pail	45 lbs/20 kg

DOT, IATA, IMDG

This product does not meet the definition of any hazard class and therefore is not subject to DOT, IATA and IMDG Regulations.

For further information visit our website:
www.troycorp.com or call...

United States Tel: 973-443-4200
 Fax: 973-443-0258
Canada Tel: 905-760-7902
 Fax: 905-760-7904

No warranty is made, whether expressed or implied, including warranties of merchantability or of fitness for a particular purpose for these products. No statements or recommendations contained herein are to be construed as inducements to infringe any relevant patent, now or hereafter in existence. Under no circumstances shall TROY Corporation or its affiliates be liable for incidental, consequential or other damages from alleged negligence, breach of warranty, strict liability or any other theory arising out of the use or handling of these products. The sole liability of TROY Corporation and its affiliates for any claims arising out of the manufacture, use or sale of its product shall be for the buyer's purchase price. Neither Troy Corporation nor any affiliates assumes any obligation or liability for the information in this document or the results obtained. The information in this document is provided without warranty and is to be utilized by customers of the products at the customer's sole risk. Customers should conduct their own tests in actual use conditions before commercial use of the products.

Polyphase®, MERGAL®, Troysan®, Troykyd®, Troythix®, Troysol™, Troymax™, Troysperse™, Powdermate®, Troyshield® and TroyGuard™ are Trademarks of Troy © 2008 Troy Corporation

